












## YOU WILL NEED:

**Pegboard:**  
Large square

**Other:**  
Iron and ironing paper  
Tweezers  
Quick-drying adhesive


## Bead Colors:

-  Bubblegum - 27
-  Butterscotch - 265
-  Yellow - 24
-  Pastel Green - 24
-  Toothpaste - 23
-  Pastel Lavender - 19
-  Light Brown - 194
-  White - 551
-  Sky Blue Stripe - 64


## Instructions

1. If you are using a clear pegboard, slide the actual-size pattern underneath it. Place your beads on the pegboard as shown in the patterns.
2. Ask an adult to fuse your designs—see page 3 for further instructions.
3. Assembly: Assemble and glue together the layers of the project with the doily at the bottom, then the waffle layers with #1 at the bottom and working up to #5 at the top. Use the photo as a reference for how to overlap the layers.


## Waffle Layer 1 (bottom)



## Waffle Layer 2




Waffle Layer 3



Bead Colors:


- Bubblegum
- Butterscotch
- Yellow
- Pastel Green
- Toothpaste
- Pastel Lavender
- White



Waffle Layer 5

Waffle Layer 4

## Doily



## Bead Colors:

- White
- ⊗ Sky Blue Stripe

## Fusing Instructions—Only Adults Iron



1. Place your pegboard on a flat, heat-safe surface.
2. Set a household iron to the medium setting. Place ironing paper over the pegboard. In a circular motion, begin to iron the project. Do not press down with the iron. As the beads begin to fuse, you will see circles of the beads start to show through the paper. When ironed properly, the beads will still have an open center. Let the design cool.
3. Remove the paper and bead design from the peg board. Flip the design over to expose the non-fused side. Repeat step two. Let cool completely.

**NOTE:** Beads need heat for about 10-20 seconds per side to fuse evenly. Lift the paper occasionally to see how the beads are fusing. Depending on the size of the project, additional heating time may be required.