



YOU WILL NEED:

Pegboards:


4 large squares

Other:


Scissors and clear tape
Two 16" square pieces of sturdy cardboard
Tweezers
Iron and ironing paper
Fishing line for hangers (optional)

Bead Colors:

- Pink - 149
- Red - 470
- Orange - 287
- Yellow - 266
- Prickly Pear - 157
- Kiwi Lime - 173
- Parrot Green - 126
- Dark Green - 60
- Toothpaste - 64
- Turquoise - 68
- Blueberry Cream - 144
- Dark Blue - 152
- Purple - 174
- Tan - 10
- Light Brown - 16
- Black - 243
- White - 304
- Clear - 17



Section 1




Instructions


1. Place one of the large pieces of cardboard on a heat-safe work surface that you can later use for fusing. Assemble 4 large square pegboards as shown to create the first part of your project, and two for the second part.

Cut out and tape together the pattern sections. If you are using clear pegboards, slide the actual-size pattern underneath them. Place your beads following the pattern.
2. Ask an adult to fuse your designs—we recommend the Tape Method for Fusing Large Projects, or you can use our Standard Fusing Method. See page 6 for more information.


Section 2



Section 3




Section 4






Section 5



Bead Colors:

- Pink
- Red
- Orange
- Yellow
- Prickly Pear
- Kiwi Lime
- Parrot Green
- Dark Green
- Turquoise
- Purple
- Light Brown
- Black
- White
- Clear

Section 6



For best results, we recommend the Tape Method for Fusing Large Projects. These detailed instructions can be found on our website: www.perler.com.

If you are more comfortable with our standard fusing instructions, see below.

Fusing Instructions—Only Adults Iron



1. Place your pegboard on a flat, heat-safe surface.
2. Set a household iron to the medium setting. Place ironing paper over the pegboard. In a circular motion, begin to iron the project. Do not press down with the iron. As the beads begin to fuse, you will see circles of the beads start to show through the paper. When ironed properly, the beads will still have an open center. Let the design cool.
3. Remove the paper and bead design from the peg board. Flip the design over to expose the non-fused side. Repeat step two. Let cool completely.

NOTE: Beads need heat for about 10-20 seconds per side to fuse evenly. Lift the paper occasionally to see how the beads are fusing. Depending on the size of the project, additional heating time may be required.