Patchwork Tree Scene

YOU WILL NEED:

Bead Colors:

|			
⬤ Light Pink - 112		⬤ Evergreen - 39	
⬤ Bubblegum - 114		⬤ Fairy Dust - 77	
⬤ Pink - 141		⬤ Pastel Green - 92	
⬤ Magenta - 5		⬤ Light Green - 48	
⬤ Raspberry - 11		⬤ Parrot Green - 117	
⬤ Plum - 149		⬤ Toothpaste - 963	
⬤ Hot Coral - 95		⬤ Pastel Blue - 73	
⬤ Red - 29		⬤ Light Blue - 107	
⬤ Orange - 191		⬤ Turquoise - 94	
⬤ Cheddar - 11		⬤ Blueberry Cream - 76	
⬤ Pastel Yellow - 183		⬤ Periwinkle Blue - 28	
⬤ Yellow - 210		⬤ Pastel Lavender - 85	
⬤ Prickly Pear - 148		⬤ Purple - 170	
⬤ Kiwi Green - 162		⬤ White * - 1219	
⬤ Green - 40		⬤ Gold Pearl Stripe - 309	
⬤ Dark Green - 194			

*You will need 2 bags of white beads.

YOU WILL ALSO NEED:

Pegboards:
6 large squares

Other:
Scissors
Tape

Instructions

TIP: For a large project like this, we recommend placing a large flat piece of heavy cardboard a little larger than the size of the project under the pegboards. You will want to fuse the design in your work area rather than transporting it to another space, and the cardboard will protect your work surface and help in turning the design over after fusing.

1. You will need to connect 6 large square pegboards for your project. Assemble the pegboards 3 across and 2 down. Cut the patterns out and tape together as indicated.

2. If you are using clear pegboards, slide the actual-size pattern underneath them. Place your beads on the pegboards as shown.

3. Ask an adult to fuse your designs—see page 6 for further instructions.

SECTION 1

SECTION 2

SECTION 3

SECTION 4

SECTION 5

Patchwork Tree Scene

SECTION 6

Fusing Instructions—Only Adults Iron

1. Place your pegboard on a flat, heat-safe surface.

2. Set a household iron to the medium setting. Place ironing paper over the pegboard. In a circular motion, begin to iron the project. Do not press down with the iron. As the beads begin to fuse, you will see circles of the beads start to show through the paper. When ironed properly, the beads will still have an open center. Let the design cool.

3. Remove the paper and bead design from the peg board. Flip the design over to expose the non-fused side. Repeat step two. Let cool completely.

NOTE: Beads need heat for about 10-20 seconds per side to fuse evenly. Lift the paper occasionally to see how the beads are fusing. Depending on the size of the project, additional heating time may be required.